PATENT
Attorney Reference Number 6395-61264-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Gagnon et al.

Application No. 10/001,268

Filed: November 13, 2001

Confirmation No. 8338

For: AUTOMATED MICROSCOPIC IMAGE ACQUISITION, COMPOSITING, AND DISPLAY

Examiner: Barry Choobin

Art Unit: 2623

Attorney Reference No. 6395-61264-01

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

TRANSMITTAL LETTER

Enclosed for filing in the application referenced above are the following:

☒ Letter of Correction
☒ Request for Certificate of Correction (errors attributable to Patent Office)
☒ Certificate of Correction (in duplicate)

☒ The Director is hereby authorized to charge any additional fees that may be required, or credit over-payment, to Deposit Account No. 02-4550. A copy of this sheet is enclosed.

☒ Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 595-5300
Facsimile: (503) 595-5301

By _____
Gregory L. Maurer
Registration No. 43,781

cc: Docketing

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Gagnon et al.   Date Mailed ___June 23, 2006___

Patent No. 7,027,628

Issued: April 11, 2006

Application No. 10/001,268

Filed: November 13, 2001

Confirmation No. 8338

For: AUTOMATED MICROSCOPIC IMAGE
        ACQUISITION, COMPOSITING, AND
        DISPLAY

Examiner: Barry Choobin

Art Unit: 2623

Attorney Reference No. 6395-61264-01

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

LETTER OF CORRECTION

The following error was noted in comparing the printed patent with the papers in the attorneys' files:

In the Specification:

Column 8, line 66, "captured **942**" should read --captured image **942**--.

Column 13, line 40, "a five composite" should read --five composite--.

Column 7, line 7, "locations for the each" should read --locations for each--.

The above error is not attributable to the Patent Office, and is not considered to be of major significance. Applicants request that this document be included in the file wrapper of the subject patent to make formal notice of the errors.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204   By _____
Telephone: (503) 226-7391   Gregory L. Maurer
Facsimile: (503) 228-9446   Registration No. 43,781

cc: Docketing

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Gagnon et al.   **Date Mailed** June 23, 2006

Patent No. 7,027,628

Issued: April 11, 2006

Application No. 10/001,268

Filed: November 13, 2001

Confirmation No. 8338

For: AUTOMATED MICROSCOPIC IMAGE
ACQUISITION, COMPOSITING, AND
DISPLAY

Examiner: Barry Choobin

Art Unit: 2623

Attorney Reference No. 6395-61264-01

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

The following errors were noted in comparing the printed patent with the papers in the attorneys' files:

In the Title Pages:

Item [56], **References Cited**, U.S. PATENT DOCUMENTS, "6,404,906 B1" should read --6,404,906 B2--, as shown on Page 1 of 2 of the IDS (1449) filed June 21, 2004.

Item [56], **References Cited**, U.S. PATENT DOCUMENTS, "6,466,690 B1" should read --6,466,690 B2--, as shown on Page 1 of 2 of the IDS (1449) filed June 21, 2004.

Item [56], **References Cited**, OTHER PUBLICATIONS, "AUDF Funds Software Project" reference, "hhtp://" should read --http://--, as shown on Page 2 of 2 of the IDS (1449) filed June 21, 2004.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Key Phrases in the Handbook" reference, "oco20016.thm" should read --oco20016.htm--, as shown on Page 3 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Cytologic Diagnostic Markets in the U.S." reference, "get$_{13}$ sections" should read --get_sections--, as shown on Page 4 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "The Medical Laboratories Industry-Summary and Nature...," reference, "http:www" should read --http://www--, as shown on Page 4 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Diagnostic Market and Technology Trends-Clinical Chemistry...," reference, "hhtp://" should read --http://--, and "get$_{13}$ sections" should read --get_sections--, as shown on Page 4 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, the following reference was omitted from the printed patent: --"Image Analysis Software" *Biomedical Products Online*, 1 page, June 23, 2000--, as shown on Page 6 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Image-Pro Express The Proven Solution" reference, "icubeinc.com" should read -- i-cubeinc.com--, as shown on Page 7 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "SpectRx" reference, "cancer2html" should read --cancer2.html--, as shown on Page 7 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "General Program Description" reference, "mediaid/" should read --medicaid/--, as shown on Page 10 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Types of CLIA Certificates" reference, "http://hcfa.gov" should read --http://www.hcfa.gov--, as shown on Page 10 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Valente" reference, "1 page" should read --1 page,--, as shown on Page 11 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Monarch Healthcare to Implement..." reference, "Monarch Memebers Provide" should read --Monarch Members Provide--, as shown on Page 12 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Physicians for Women's Health..." reference, "Women's Health Group Practice" should read --Women's Health, Nation's Largest Women's Health Group Practice--, and "Mrthd" should read --Method--, as shown on Page 12 of 13 of the IDS (1449) filed July 17, 2002.

Item [56], **References Cited**, OTHER PUBLICATIONS, "Readme" reference, "(The Indepndent JPEG" should read --(The Independent JPEG--, as shown on Page 13 of 13 of the IDS (1449) filed July 17, 2002.

In the Specification:

In column 1, line 66, "(great" should read --great--, as shown on page 2, line 15 of the Application as filed.

In column 2, line 20, "system, computer" should read --system computer,--, as shown on page 2, line 29 of the Application as filed.

In column 4, line 2, "techniques. Such" should read --techniques, such--, as shown on page 5, line 26 of the Application as filed.

In column 4, line 8, "5,139,031. "Method and" should read --5,139,031, "Method and--, as shown on page 5, line 30 of the Application as filed.

In column 4, line 8, "testing." filed" should read --testing," filed--, as shown on page 5, line 31 of the Application as filed.

In column 4, lines 34-35, "computer executable" should read --computer-executable--, as shown on page 6, line 19 of the Application as filed.

In column 4, line 41, "(e.g." should read --(e.g.,--, as shown on page 6, line 23 of the Application as filed.

In column 4, line 45, "Red Hat, Inc," should read --Red Hat, Inc.--, as shown on page 6, line 26 of the Application as filed.

In column 4, line 46, "**152 us**" should read --**152 is**--, as shown on page 6, line 27 of the Application as filed.

In column 4, line 47, "(e.g. 136 Gb" should read --(e.g., 136 Gb--, as shown on page 6, line 28 of the Application as filed.

In column 4, line 61, "example a set" should read --example, a set--, as shown on page 7, line 10 of the Application as filed.

In column 5, line 59, "**1118 is**" should read --**118 is**--, as shown on page 8, line 24 of the Application as filed.

In column 5, line 61, "(e.g." should read --(e.g.,--, as shown on page 8, line 25 of the Application as filed.

In column 5, line 67, "(e.g." should read --(e.g.,--, as shown on page 8, line 29 of the Application as filed.

In column 7, line 13, "(e.g." should read --(e.g.,--, as shown on page 10, line 25 of the Application as filed.

In column 7, line 14, "(e.g." should read --(e.g.,--, as shown on page 10, line 26 of the Application as filed.

In column 7, lines 16-17, "navigating, to" should read --navigating to--, as shown on page 10, line 28 of the Application as filed.

In column 7, line 13, "similarly and" should read --similarly, and--, as shown on page 10, line 29 of the Application as filed.

In column 7, line 20, "cover, the" should read --cover the--, as shown on page 10, line 31 of the Application as filed.

In column 7, line 21, "bottom of all item" should read --bottom of an item--, as shown on page 10, line 31 of the Application as filed.

In column 7, line 48, "(e.g." should read --(e.g.,--, as shown on page 11, line 19 of the Application as filed.

In column 8, line 25, "called "tiling."" should read --called "tiling,"--, as shown on page 12, line 20 of the Application as filed.

In column 9, line 13, "(e.g." should read --(e.g.,--, as shown on page 13, line 26 of the Application as filed.

In column 9, line 52, "(0.0)" should read --(0,0)--, as shown on page 14, line 21 of the Application as filed.

In column 9, line 55, "(0.0)" should read --(0,0)--, as shown on page 14, line 23 of the Application as filed.

In column 9, line 61, "example:" should read --example;--, as shown on page 14, line 28 of the Application as filed.

In column 9, line 63, "image **1112**" should read --image **1122**--, as shown on page 14, line 29 of the Application as filed.

In column 9, line 67, "comparisons **132**" should read --comparisons **1132**--, as shown on page 14, line 32 of the Application as filed.

In column 10, line 39, "At **122**" should read --At **1222**--, as shown on page 15, line 29 of the Application as filed.

In column 10, line 44, "at **1224**." should read --At **1222**,--, as shown on page 15, line 30 of the Application as filed.

In column 10, line 43, "image. Such" should read --image, such--, as shown on page 15, line 32 of the Application as filed.

In column 10, line 65, "in Such" should read --in such--, as shown on page 16, line 16 of the Application as filed.

In column 11, lines 5-6, "**(165, 166, 167, 175, etc.)**" should read --(I65, I66, I67, I75, etc.)--, as shown on page 16, line 22 of the Application as filed.

In column 11, line 16, "Brow sing" should read --Browsing--, as shown on page 16, line 29 of the Application as filed.

In column 12, line 23, "(e.g." should read --(e.g.,--, as shown on page 18, line 18 of the Application as filed.

In column 13 line 36, "(e.g." should read --(e.g.,--, as shown on page 20, line 13 of the Application as filed.

In column 13 line 50, "live" should read --five--, as shown on page 20, line 23 of the Application as filed.

In column 13 line 55, "(e.g." should read --(e.g.,--, as shown on page 20, line 26 of the Application as filed.

In the Claims:

In claim 1, column 14, line 23, "adjacent image in" should read --adjacent images in--, as shown on page 2, line 7, of claim 4, of the Amendment filed November 17, 2005.

In claim 2, column 14, lines 35-36, "comprising;" should read --comprising:--, as shown on page 3, line 3, of claim 7, of the Amendment filed November 17, 2005.

In claim 2, column 14, line 40, "images is" should read --images in--, as shown on page 3, line 6, of claim 7, of the Amendment filed November 17, 2005.

In claim 5, column 14, lines 57-58, "comprising;" should read --comprising:--, as shown on page 3, line 3, of claim 11, of the Amendment filed November 17, 2005.

In claim 8, column 15, line 35, "comprising;" should read --comprising:--, as shown on page 24, line 3, of claim 14, of the Application as filed.

In claim 15, column 16, line 18, "focal plane, at the" should read --focal plane at the--, as shown on page 7, line 9, of claim 22, of the Amendment filed November 17, 2005.

In claim 16, column 16, lines 38-39, "microscope:" should read --microscope;--, as shown on page 8, line 5, of claim 27, of the Amendment filed November 17, 2005.

In claim 16, column 16, line 52, "training" should read --tracking--, as shown on page 26, line 16, of claim 27, of the Application as filed.

In claim 16, column 16, line 52, "curt" should read --current--, as shown on page 27, line 10, of claim 31, of the Application as filed.

All of the above errors are attributable to the Patent Office, and a Certificate of

Correction is enclosed in duplicate to make formal notice of the errors in the referenced

patent.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By _____
Gregory L. Maurer
Registration No. 43,781

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 226-7391
Facsimile: (503) 228-9446

cc: Docketing

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.   : 7,027,628

DATED   : April 11, 2006

INVENTOR(S)   : Gagnon et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page 1
Item [56], **References Cited**, OTHER PUBLICATIONS,
"AUDF Funds Software Project" reference, "hhtp://" should read --http://--.

Title Page 2
Item [56], **References Cited**, U.S. PATENT DOCUMENTS,
"6,404,906 B1" should read --6,404,906 B2--.
"6,466,690 B1" should read --6,466,690 B2--.
Item [56], **References Cited**, OTHER PUBLICATIONS,
"AUDF Funds Software Project" reference, "hhtp://" should read --http://--.
"Key Phrases in the Handbook" reference, "oco20016.thm" should read --oco20016.htm--.
"Cytologic Diagnostic Markets in the U.S." reference, "get$_{13}$ sections" should read --get_sections--
"The Medical Laboratories Industry-Summary and Nature...," reference, "http:www" should read --http://www--.
"Diagnostic Market and Technology Trends-Clinical Chemistry...," reference, "hhtp://" should read --http://--, and "get$_{13}$ sections" should read --get_sections--.

Title Page 3
Item [56], **References Cited**, OTHER PUBLICATIONS,
the following reference was omitted from the printed patent: --"Image Analysis Software" *Biomedical Products Online*, 1 page, June 23, 2000--.
"Image-Pro Express The Proven Solution" reference, "icubeinc.com" should read --i-cubeinc.com--.
"SpectRx" reference, "cancer2html" should read --cancer2.html--.
"General Program Description" reference, "mediaid/" should read --medicaid/--.
"Types of CLIA Certificates" reference, "http://hcfa.gov" should read --http://www.hcfa.gov--.

Title Page 4
Item [56], **References Cited**, OTHER PUBLICATIONS,
"Valente" reference, "1 page" should read --1 page,--.
"Monarch Healthcare to Implement..." reference, "Monarch Memebers Provide" should read --Monarch Members Provide--.
"Physicians for Women's Health..." reference, "Women's Health Group Practice" should read --Women's Health, Nation's Largest Women's Health Group Practice--, and "Mrthd" should read --Method--.
"Readme" reference, "(The Indepndent JPEG" should read --(The Independent JPEG--.

MAILING ADDRESS OF SENDER:
    Klarquist Sparkman, LLP
    One World Trade Center, Suite 1600
    121 SW Salmon Street
    Portland, Oregon 97204

PATENT NO. 7,027,628
No. of add'l copies_____
(@ .30 per page)

Page 1 of 3

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.　　: 7,027,628

DATED　　　　: April 11, 2006

INVENTOR(S)　: Gagnon et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1
Line 66, "(great" should read --great--.

Column 2
Line 20, "system, computer" should read --system computer,--.

Column 4
Line 2, "techniques. Such" should read --techniques, such--.
Line 8, "5,139,031. "Method and" should read --5,139,031, "Method and--.
Line 8, "testing." filed" should read --testing," filed--.
Lines 34-35, "computer executable" should read --computer-executable--.
Line 41, "(e.g." should read --(e.g.,--.
Line 45, "Red Hat, Inc," should read --Red Hat, Inc.--.
Line 46, "152 us" should read --152 is--.
Line 47, "(e.g. 136 Gb" should read --(e.g., 136 Gb--.
Line 61, "example a set" should read --example, a set--.

Column 5
Line 59, "1118 is" should read --118 is--.
Line 61, "(e.g." should read --(e.g.,--.
Line 67, "(e.g." should read --(e.g.,--

Column 7
Line 13, "(e.g." should read --(e.g.,--.
Line 14, "(e.g." should read --(e.g.,--.
Lines 16-17, "navigating, to" should read --navigating to--.
Line 13, "similarly and" should read --similarly, and--.
Line 20, "cover, the" should read --cover the--.
Line 21, "bottom of all item" should read --bottom of an item--.
Line 48, "(e.g." should read --(e.g.,--.

Column 8
Line 25, "called "tiling."" should read --called "tiling,"--.

Column 9
Line 13, "(e.g." should read --(e.g.,--.
Line 52, "(0.0)" should read --(0,0)--.
Line 55, "(0.0)" should read --(0,0)--.
Line 61, "example:" should read --example;--.
Line 63, "image 1112" should read --image 1122--.
Line 67, "comparisons 132" should read --comparisons 1132--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.   : 7,027,628

DATED   : April 11, 2006

INVENTOR(S) : Gagnon et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10
Line 39, "At **122**" should read --At **1222**--.
Line 44, "at **1224**." should read --At **1222**,--.
Line 43, "image. Such" should read --image, such--.
Line 65, "in Such" should read --in such--.

Column 11
Lines 5-6, "(**165, 166, 167, 175**, etc.)" should read --(I65, I66, I67, I75, etc.)--.
Line 16, "Brow sing" should read --Browsing--.

Column 12
Line 23, "(e.g." should read --(e.g.,--.

Column 13
Line 36, "(e.g." should read --(e.g.,--.
Line 50, "live" should read --five--.
Line 55, "(e.g." should read --(e.g.,--.

Column 14
Line 23, "adjacent image in" should read --adjacent images in--.
Lines 35-36, "comprising;" should read --comprising:--.
Line 40, "images is" should read --images in--.
Lines 57-58, "comprising;" should read --comprising:--.

Column 15
Line 35, "comprising;" should read --comprising:--.

Column 16
Line 18, "focal plane, at the" should read --focal plane at the--.
Lines 38-39, "microscope:" should read –microscope;--.
Line 52, "training" should read --tracking--.
Line 52, "curt" should read --current--.

MAILING ADDRESS OF SENDER:
   Klarquist Sparkman, LLP
   One World Trade Center, Suite 1600
   121 SW Salmon Street
   Portland, Oregon 97204

PATENT NO. 7,027,628
No. of add'l copies_____
(@ .30 per page)

JUN 2 2006

Page 3 of 3

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.　　: 7,027,628

DATED　　　　: April 11, 2006

INVENTOR(S)　: Gagnon et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Title Page 1</u>
Item [56], **References Cited**, OTHER PUBLICATIONS,
"AUDF Funds Software Project" reference, "hhtp://" should read --http://--.

<u>Title Page 2</u>
Item [56], **References Cited**, U.S. PATENT DOCUMENTS,
"6,404,906 B1" should read --6,404,906 B2--.
"6,466,690 B1" should read --6,466,690 B2--.
Item [56], **References Cited**, OTHER PUBLICATIONS,
"AUDF Funds Software Project" reference, "hhtp://" should read --http://--.
"Key Phrases in the Handbook" reference, "oco20016.thm" should read --oco20016.htm--.
"Cytologic Diagnostic Markets in the U.S." reference, "get$_{13}$ sections" should read --get_sections--
"The Medical Laboratories Industry-Summary and Nature...," reference, "http:www" should read --http://www--.
"Diagnostic Market and Technology Trends-Clinical Chemistry...," reference, "hhtp://" should read --http://--, and "get$_{13}$ sections" should read --get_sections--.

<u>Title Page 3</u>
Item [56], **References Cited**, OTHER PUBLICATIONS,
the following reference was omitted from the printed patent: --"Image Analysis Software" *Biomedical Products Online*, 1 page, June 23, 2000--.
"Image-Pro Express The Proven Solution" reference, "icubeinc.com" should read --i-cubeinc.com--.
"SpectRx" reference, "cancer2html" should read --cancer2.html--.
"General Program Description" reference, "mediaid/" should read --medicaid/--.
"Types of CLIA Certificates" reference, "http://hcfa.gov" should read --http://www.hcfa.gov--.

<u>Title Page 4</u>
Item [56], **References Cited**, OTHER PUBLICATIONS,
"Valente" reference, "1 page" should read --1 page,--.
"Monarch Healthcare to Implement..." reference, "Monarch Memebers Provide" should read --Monarch Members Provide--.
"Physicians for Women's Health..." reference, "Women's Health Group Practice" should read --Women's Health, Nation's Largest Women's Health Group Practice--, and "Mrthd" should read --Method--.
"Readme" reference, "(The Indepndent JPEG" should read --(The Independent JPEG--.

MAILING ADDRESS OF SENDER:
　　Klarquist Sparkman, LLP
　　One World Trade Center, Suite 1600
　　121 SW Salmon Street
　　Portland, Oregon 97204

PATENT NO. 7,027,628
No. of add'l copies_____
(@ .30 per page)

JUN 23 2006

Page 1 of 3

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.   : 7,027,628

DATED   : April 11, 2006

INVENTOR(S)   : Gagnon et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1
Line 66, "(great" should read --great--.

Column 2
Line 20, "system, computer" should read --system computer,--.

Column 4
Line 2, "techniques. Such" should read --techniques, such--.
Line 8, "5,139,031. "Method and" should read --5,139,031, "Method and--.
Line 8, "testing." filed" should read --testing," filed--.
Lines 34-35, "computer executable" should read --computer-executable--.
Line 41, "(e.g." should read --(e.g.,--.
Line 45, "Red Hat, Inc," should read --Red Hat, Inc.--.
Line 46, "152 us" should read --152 is--.
Line 47, "(e.g. 136 Gb" should read --(e.g., 136 Gb--.
Line 61, "example a set" should read --example, a set--.

Column 5
Line 59, "1118 is" should read --118 is--.
Line 61, "(e.g." should read --(e.g.,--.
Line 67, "(e.g." should read --(e.g.,--

Column 7
Line 13, "(e.g." should read --(e.g.,--.
Line 14, "(e.g." should read --(e.g.,--.
Lines 16-17, "navigating, to" should read --navigating to--.
Line 13, "similarly and" should read --similarly, and--.
Line 20, "cover, the" should read --cover the--.
Line 21, "bottom of all item" should read --bottom of an item--.
Line 48, "(e.g." should read --(e.g.,--.

Column 8
Line 25, "called "tiling."" should read --called "tiling,"--.

Column 9
Line 13, "(e.g." should read --(e.g.,--.
Line 52, "(0.0)" should read --(0,0)--.
Line 55, "(0.0)" should read --(0,0)--.
Line 61, "example:" should read --example;--.
Line 63, "image 1112" should read --image 1122--.
Line 67, "comparisons 132" should read --comparisons 1132--.

MAILING ADDRESS OF SENDER:
    Klarquist Sparkman, LLP
    One World Trade Center, Suite 1600
    121 SW Salmon Street
    Portland, Oregon 97204

PATENT NO. 7,027,628
No. of add'l copies_____
(@ .30 per page)

JUN 23 2006

Page 2 of 3

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.   : 7,027,628

DATED   : April 11, 2006

INVENTOR(S)   : Gagnon et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10
Line 39, "At **122**" should read --At **1222**--.
Line 44, "at **1224**." should read --At **1222**,--.
Line 43, "image. Such" should read --image, such--.
Line 65, "in Such" should read --in such--.

Column 11
Lines 5-6, "(**165, 166, 167, 175**, etc.)" should read --(I65, I66, I67, I75, etc.)--.
Line 16, "Brow sing" should read --Browsing--.

Column 12
Line 23, "(e.g." should read --(e.g.,--.

Column 13
Line 36, "(e.g." should read --(e.g.,--.
Line 50, "live" should read --five--.
Line 55, "(e.g." should read --(e.g.,--.

Column 14
Line 23, "adjacent image in" should read --adjacent images in--.
Lines 35-36, "comprising;" should read --comprising:--.
Line 40, "images is" should read --images in--.
Lines 57-58, "comprising;" should read --comprising:--.

Column 15
Line 35, "comprising;" should read --comprising:--.

Column 16
Line 18, "focal plane, at the" should read --focal plane at the--.
Lines 38-39, "microscope:" should read –microscope;--.
Line 52, "training" should read --tracking--.
Line 52, "curt" should read --current--.